

	0 cm	1 cm	2 cm	3 cm	4 cm	5 cm	6 cm	7 cm	8 cm	9 cm	
0							217	248	279	311	0
1							220	251	282	314	1
2							223	254	285	318	2
3							226	257	289	321	3
4							229	260	292	325	4
5							232	264	295	328	5
6							235	267	298	331	6
7						207	239	270	301	335	7
8						210	242	273	304	338	8
9						214	245	276	307	342	9
	10 cm	11 cm	12 cm	13 cm	14 cm	15 cm	16 cm	17 cm	18 cm	19 cm	
0	345	380	415	452	489	527	567	607	651	694	0
1	349	383	418	455	493	531	571	612	655	699	1
2	352	387	422	459	496	535	575	616	660	703	2
3	356	390	426	463	500	539	579	620	664	707	3
4	359	394	430	467	504	543	583	625	668	712	4
5	363	397	433	470	507	547	587	629	673	716	5
6	366	400	437	474	511	551	591	633	677	720	6
7	369	404	441	478	515	555	595	638	681	725	7
8	373	407	444	481	519	559	598	642	686	709	8
9	376	411	448	485	523	563	603	646	690	733	9
	20 cm	21 cm	22 cm	23 cm	24 cm	25 cm	26 cm	27 cm	28 cm	29 cm	
0	738	781	826	871	916	962	1007	1055	1103	1150	0
1	742	786	830	876	921	966	1012	1060	1107	1155	1
2	746	790	835	880	926	971	1017	1064	1112	1160	2
3	751	794	839	885	930	976	1022	1069	1117	1165	3
4	755	799	844	889	935	980	1026	1074	1122	1169	4
5	760	803	848	894	939	985	1031	1079	1126	1174	5
6	764	807	853	898	944	989	1036	1084	1131	1179	6
7	768	812	857	903	948	994	1041	1088	1136	1184	7
8	773	816	862	907	953	998	1045	1093	1141	1188	8
9	777	821	866	912	957	1003	1050	1098	1145	1193	9
	30 cm	31 cm	32 cm	33 cm	34 cm	35 cm	36 cm	37 cm	38 cm	39 cm	
0	1198	1247	1297	1347	1397	1449	1501	1553	1605	1657	0
1	1203	1252	1302	1352	1402	1454	1506	1558	1610	1662	1
2	1207	1257	1307	1357	1407	1459	1511	1563	1615	1667	2
3	1212	1262	1312	1362	1413	1464	1516	1568	1620	1672	3
4	1217	1267	1317	1367	1418	1470	1522	1574	1626	1677	4
5	1222	1272	1322	1372	1423	1475	1527	1579	1631	1683	5
6	1227	1277	1327	1377	1428	1480	1532	1584	1636	1688	6
7	1232	1282	1332	1382	1433	1485	1537	1589	1641	1693	7
8	1237	1287	1337	1387	1439	1490	1542	1594	1646	1698	8
9	1242	1292	1342	1392	1444	1495	1548	1600	1652	1703	9
	40 cm	41 cm	42 cm	43 cm	44 cm	45 cm	46 cm	47 cm	48 cm	49 cm	
0	1709	1761	1813	1867	1921	1975	2029	2083	2137	2193	0
1	1714	1766	1818	1872	1926	1980	2034	2088	2142	2197	1
2	1719	1771	1824	1878	1932	1986	2040	2094	2148	2202	2
3	1724	1776	1829	1883	1937	1991	2045	2099	2153	2207	3
4	1729	1781	1834	1888	1942	1997	2051	2103	2159	2213	4
5	1735	1787	1840	1894	1948	2002	2056	2110	2164	2218	5
6	1740	1792	1845	1899	1953	2007	2061	2115	2170	2224	6
7	1745	1797	1851	1905	1959	2013	2067	2121	2175	2230	7
8	1750	1802	1856	1910	1964	2018	2072	2126	2180	2235	8
9	1755	1807	1861	1915	1970	2024	2078	2132	2186	2241	9
	50 cm	51 cm	52 cm	53 cm	54 cm	55 cm	56 cm	57 cm	58 cm	59 cm	
0	2246	2302	2357	2413	2468	2524	2580	2635	2691	2748	0
1	2252	2307	2363	2418	2474	2530	2585	2641	2696	2752	1
2	2257	2313	2368	2424	2480	2535	2591	2646	2702	2757	2
3	2263	2318	2374	2430	2485	2541	2596	2652	2707	2763	3
4	2268	2324	2380	2435	2491	2546	2602	2657	2713	2768	4
5	2274	2330	2385	2441	2496	2552	2607	2663	2718	2774	5
6	2280	2335	2391	2446	2502	2557	2613	2668	2724	2780	6
7	2285	2341	2396	2452	2507	2563	2618	2674	2730	2785	7
8	2291	2346	2402	2457	2513	2568	2624	2680	2735	2791	8
9	2296	2352	2407	2463	2518	2574	2630	2685	2741	2796	9

TANK MUST BE LEVELLED TO A GAUGE READING OF 6.1 CM WITH 220 LITERS OF WATER IN THE TANK
 Bon Ami Powder must be used on measuring stick during installation.

LITERS OF MILK

Calibration based on 3.7853 liters = 1 U.S. Gallon

MUELLER MILK BULK COOLER

MODEL O-1500

Calibrated at Paul Mueller Company
 P.O. Box 828, Springfield, Missouri 65801

This cooler is designed to operate, with regarding to cooling and agitation, at the nominal capacity shown above

	60 cm	61 cm	62 cm	63 cm	64 cm	65 cm	66 cm	67 cm	68 cm	69 cm	
0	2802	2859	2917	2975	3032	3090	3148	3205	3263	3321	0
1	2807	2865	2923	2980	3038	3096	3154	3211	3269	3327	1
2	2813	2871	2929	2986	3044	3102	3159	3217	3275	3332	2
3	2819	2877	2934	2992	3050	3107	3165	3223	3280	3338	3
4	2825	2882	2940	2998	3055	3113	3171	3229	3286	3344	4
5	2830	2888	2946	3004	3061	3119	3177	3234	3292	3350	5
6	2836	2894	2952	3009	3067	3125	3182	3240	3298	3355	6
7	2842	2900	2957	3015	3073	3130	3188	3246	3304	3361	7
8	2848	2905	2963	3021	3079	3136	3194	3252	3309	3367	8
9	2854	2911	2969	3027	3084	3142	3200	3257	3315	3373	9
	70 cm	71 cm	72 cm	73 cm	74 cm	75 cm	76 cm	77 cm	78 cm	79 cm	
0	3379	3436	3492	3549	3605	3662	3719	3775	3832	3888	0
1	3384	3441	3498	3555	3611	3668	3724	3781	3838	3894	1
2	3390	3447	3504	3560	3617	3673	3730	3787	3843	3900	2
3	3396	3453	3509	3566	3622	3679	3736	3792	3849	3905	3
4	3402	3458	3515	3572	3628	3685	3741	3798	3855	3911	4
5	3407	3464	3521	3577	3634	3690	3747	3804	3860	3917	5
6	3413	3470	3526	3583	3639	3696	3753	3809	3866	3922	6
7	3419	3475	3532	3588	3645	3702	3758	3815	3872	3928	7
8	3424	3481	3538	3594	3651	3707	3764	3821	3877	3934	8
9	3430	3487	3543	3600	3656	3713	3770	3826	3883	3939	9
	80 cm	81 cm	82 cm	83 cm	84 cm	85 cm	86 cm	87 cm	88 cm	89 cm	
0	3945	4002	4056	4110	4164	4218	4272	4326	4380	4433	0
1	3951	4007	4061	4115	4170	4224	4278	4332	4386	4439	1
2	3956	4013	4067	4121	4175	4229	4283	4337	4391	4444	2
3	3962	4018	4072	4126	4180	4234	4288	4342	4397	4449	3
4	3968	4024	4078	4132	4186	4240	4294	4348	4402	4454	4
5	3973	4029	4083	4137	4191	4245	4299	4353	4407	4459	5
6	3979	4034	4088	4142	4197	4251	4305	4359	4413	4464	6
7	3985	4040	4094	4148	4202	4256	4310	4364	4418	4470	7
8	3990	4045	4099	4153	4207	4261	4315	4370	4423	4475	8
9	3996	4051	4105	4159	4213	4267	4321	4375	4428	4480	9
	90 cm	91 cm	92 cm	93 cm	94 cm	95 cm	96 cm	97 cm	98 cm	99 cm	
0	4485	4537	4589	4641	4693	4745	4797	4847	4897	4947	0
1	4490	4542	4594	4646	4698	4750	4802	4852	4902	4952	1
2	4496	4548	4600	4652	4703	4755	4807	4857	4907	4957	2
3	4501	4553	4605	4657	4709	4761	4812	4862	4912	4962	3
4	4506	4558	4610	4662	4714	4766	4817	4867	4917	4967	4
5	4511	4563	4615	4667	4719	4771	4822	4872	4922	4972	5
6	4516	4568	4620	4672	4724	4776	4827	4877	4927	4977	6
7	4522	4574	4626	4677	4729	4781	4832	4882	4932	4982	7
8	4527	4579	4631	4683	4735	4787	4837	4887	4937	4987	8
9	4532	4584	4636	4688	4740	4792	4842	4892	4942	4992	9
	100 cm	101 cm	102 cm	103 cm	104 cm	105 cm	106 cm	107 cm	108 cm	109 cm	
0	4997	5046	5095	5144	5193	5240	5286	5333	5379	5424	0
1	5002	5051	5100	5149	5198	5245	5291	5338	5384	5429	1
2	5007	5056	5105	5154	5202	5249	5296	5343	5389	5433	2
3	5012	5061	5110	5159	5207	5254	5300	5347	5393	5437	3
4	5017	5066	5115	5163	5212	5259	5305	5352	5398	5441	4
5	5022	5071	5120	5168	5217	5263	5310	5356	5403	5446	5
6	5027	5076	5124	5173	5221	5268	5314	5361	5407	5450	6
7	5032	5081	5129	5178	5226	5272	5319	5365	5412	5454	7
8	5037	5085	5134	5183	5231	5277	5324	5370	5416	5458	8
9	5041	5090	5139	5188	5235	5282	5328	5375	5420	5463	9
	110 cm	111 cm	112 cm	113 cm	114 cm	115 cm	116 cm	117 cm	118 cm	119 cm	
0	5467	5509	5552	5595	5635	5675	5715	5752	5789	5824	0
1	5471	5514	5556	5599	5639	5679	5718	5755	5793	5828	1
2	5475	5518	5561	5603	5643	5683	5722	5759	5796	5831	2
3	5480	5522	5565	5607	5647	5687	5726	5763	5800	5835	3
4	5484	5526	5569	5611	5651	5691	5730	5767	5804	5839	4
5	5488	5531	5573	5615	5655	5695	5733	5770	5807	5842	5
6	5492	5535	5578	5619	5659	5699	5737	5774	5811	5845	6
7	5497	5539	5582	5623	5663	5703	5741	5778	5814	5849	7
8	5501	5544	5586	5627	5667	5707	5744	5781	5818	5852	8
9	5505	5548	5590	5631	5671	5711	5748	5785	5821	5856	9

TANK MUST BE LEVELLED TO A GAUGE READING OF 6.1 CM WITH 220 LITERS OF WATER IN THE TANK
Bon Ami Powder must be used on measuring stick during installation.

LITERS OF MILK

Calibration based on 3.7853 liters = 1 U.S. Gallon

MUELLER MILK BULK COOLER

MODEL O-1500

Calibrated at Paul Mueller Company
P.O. Box 828, Springfield, Missouri 65801

This cooler is designed to operate, with regarding to cooling and agitation, at the nominal capacity shown above

	120 cm	121 cm	122 cm	123 cm	124 cm	125 cm	126 cm	127 cm	128 cm	129 cm	
0	5859	5894	5926	5957	5989	6018					0
1	5863	5897	5929	5960	5992						1
2	5866	5900	5932	5964	5995						2
3	5869	5904	5935	5967	5998						3
4	5873	5907	5939	5970	6001						4
5	5876	5910	5942	5973	6004						5
6	5880	5914	5945	5976	6007						6
7	5883	5917	5948	5979	6010						7
8	5887	5920	5951	5982	6012						8
9	5890	5923	5954	5985	6015						9
	130 cm	131 cm	132 cm	133 cm	134 cm	135 cm	136 cm	137 cm	138 cm	139 cm	
0											0
1											1
2											2
3											3
4											4
5											5
6											6
7											7
8											8
9											9
	140 cm	141 cm	142 cm	143 cm	144 cm	145 cm	146 cm	147 cm	148 cm	149 cm	
0											0
1											1
2											2
3											3
4											4
5											5
6											6
7											7
8											8
9											9
	150 cm	151 cm	152 cm	153 cm	154 cm	155 cm	156 cm	157 cm	158 cm	159 cm	
0											0
1											1
2											2
3											3
4											4
5											5
6											6
7											7
8											8
9											9
	160 cm	161 cm	162 cm	163 cm	164 cm	165 cm	166 cm	167 cm	168 cm	169 cm	
0											0
1											1
2											2
3											3
4											4
5											5
6											6
7											7
8											8
9											9
	170 cm	171 cm	172 cm	173 cm	174 cm	175 cm	176 cm	177 cm	178 cm	179 cm	
0											0
1											1
2											2
3											3
4											4
5											5
6											6
7											7
8											8
9											9

TANK MUST BE LEVELLED TO A GAUGE READING OF 6.1 CM WITH 220 LITERS OF WATER IN THE TANK
 Bon Ami Powder must be used on measuring stick during installation.

LITERS OF MILK

Calibration based on 3.7853 liters = 1 U.S. Gallon

MUELLER MILK BULK COOLER

MODEL **O-1500**

Calibrated at Paul Mueller Company
 P.O. Box 828, Springfield, Missouri 65801

This cooler is designed to operate, with regarding to cooling and agitation, at the nominal capacity shown above